



Americas Styrenics LLC
305 Crenshaw Boulevard
Torrance, California 90503

November 19, 2021

John Schofield
Hazardous Waste and Chemical Section, ENF-2-2
Enforcement and Compliance Assurance Division
U.S. Environmental Protection Agency
75 Hawthorne Street
San Francisco, CA 94105
e-mail: schofield.john@epa.gov

RE: Americas Styrenics Torrance inspection report

Dear Mr. Schofield:

Americas Styrenics LLC (AmSty) is submitting this letter with associated attachments in response to your letter titled "Inspection Report Transmittal and Request for Information Pursuant to Section 3007(a) of the Resource Conservation and Recovery Act" dated 10/27/2021. AmSty received your letter via e-mail on 10/29/2021.

The following information is provided with this letter: Attachment 1 contains response and documentation that AmSty has corrected items listed as observations/findings within the inspection report, Attachment 2 contains AmSty's response to questions contained with Attachment 1 of your letter and Attachment 3 contains the completed certification statement as requested within your letter.

Please contact Chuong Nhan at 424-488-3735 or chuongnhan@amsty.com if you have any questions or if you need additional information.

Sincerely,

A handwritten signature in blue ink that reads "Hector Bedoya". The signature is written in a cursive style and is positioned above a horizontal line.

Hector Bedoya
Plant Manager
Americas Styrenics LLC